



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2016 - June 30, 2017

Filing Confirmation Number: 0007854241

Filing Deadline: July 17, 2017

FRN: 0023603830

Filing Date: 07/14/2017 02:02 AM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? No

Date that you began offering handsets in the United States 07/15

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: TCL Communication Ltd.
Brand Names: Alcatel Onetouch
PO Box:
Street Address: 5th Floor, Building 22E, 22 Science Park East Avenue
City: Kowloon, Hong Kong
State: CA
Zip Code: 92606

Contact Name: Vivian Lau
Contact Phone: (318) 028-6200
Contact Fax:
Contact Email: vivian.lau@tcl.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for

hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels. Yes

Website address: <https://alcatelonetouch.us/accessibility-compliance/hearing-aid-compatibility/>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months:

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 37

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 37

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent
GSM	23	74%	8	26%		31
CDMA	8	89%	1	11%		9
WCDMA	23	74%	8	26%		31
LTE	27	82%	6	18%		33
Wi-Fi	29	78%	8	22%		37

Handset 1: TCL Communication Ltd. 4028S

Handset Maker

TCL Communication Ltd.

Handset Model Name

4028S

FCC ID

2ACCJH027

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 08/12/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/12/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 2: TCL Communication Ltd. 4043S

Handset Maker

TCL Communication Ltd.

Handset Model Name

4043S

FCC ID

2ACCJA007

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 03/10/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/10/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 3: TCL Communication Ltd. 4044M

Handset Maker

TCL Communication Ltd.

Handset Model Name

4044M

FCC ID

2ACCJN014

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 06/17 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 02/17/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 4: TCL Communication Ltd. 4044C

Handset Maker

TCL Communication Ltd.

Handset Model Name	FCC ID
--------------------	--------

4044C	2ACCJN012
-------	-----------

4044O	2ACCJN012
-------	-----------

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2600 MHz LTE

Dates

This handset model was offered from: 04/17 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 01/10/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/10/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 5: TCL Communication Ltd. 4044T

Handset Maker

TCL Communication Ltd.

Handset Model Name

FCC ID

4044T

2ACCJN010

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz GSM

850 MHz CDMA

850 MHz WCDMA

850 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2500 MHz LTE

Dates

This handset model was offered from: 01/17 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 01/13/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/13/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 6: TCL Communication Ltd. 4044V

Handset Maker

TCL Communication Ltd.

Handset Model Name	FCC ID
--------------------	--------

4044V	2ACCJN013
-------	-----------

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
850 MHz LTE
1700 MHz CDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 03/17 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 02/10/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 7: TCL Communication Ltd. 4044N

Handset Maker

TCL Communication Ltd.

Handset Model Name	FCC ID
--------------------	--------

4044N	2ACCJN011
-------	-----------

4044W	2ACCJN011
-------	-----------

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 05/17 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 01/05/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/05/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 8: TCL Communication Ltd. 4060O

Handset Maker

TCL Communication Ltd.

Handset Model Name	FCC ID
--------------------	--------

4060O	2ACCJB039
-------	-----------

4060S	2ACCJB039
-------	-----------

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 08/01/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 08/01/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 9: TCL Communication Ltd. 5017B

Handset Maker

TCL Communication Ltd.

Handset Model Name

FCC ID

5017B

2ACCJB011

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz CDMA

850 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

2500 MHz LTE

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 06/12/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/12/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 10: TCL Communication Ltd. 50170

Handset Maker

TCL Communication Ltd.

Handset Model Name

50170

FCC ID

2ACCH031

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 08/21/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 11: TCL Communication Ltd. 5027B

Handset Maker

TCL Communication Ltd.

Handset Model Name

5027B

FCC ID

2ACCB053

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
850 MHz CDMA

850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2500 MHz LTE

Dates

This handset model was offered from: 09/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 04/20/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/20/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 12: TCL Communication Ltd. 5042T

Handset Maker

TCL Communication Ltd.

Handset Model Name

5042T

FCC ID

2ACCJA002

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 02/16/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/16/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 13: TCL Communication Ltd. 5044R

Handset Maker

TCL Communication Ltd.

Handset Model Name

5044R

FCC ID

2ACCJB079

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 04/17 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 01/02/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/02/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 14: TCL Communication Ltd. 5045I

Handset Maker

TCL Communication Ltd.

Handset Model Name	FCC ID
--------------------	--------

5045I	2ACCJH056
-------	-----------

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 09/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 07/22/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 15: TCL Communication Ltd. 5046G

Handset Maker

TCL Communication Ltd.

Handset Model Name	FCC ID
--------------------	--------

5046G	2ACCJB075
A576BL	2ACCJB075

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 04/17 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 03/13/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/13/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 16: TCL Communication Ltd. 5046S

Handset Maker

TCL Communication Ltd.

Handset Model Name	FCC ID
--------------------	--------

5046S	2ACCJB076
A577VL	2ACCJB076

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 04/17 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 12/22/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 12/22/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 17: TCL Communication Ltd. 5054N

Handset Maker

TCL Communication Ltd.

Handset Model Name

FCC ID

5054N	2ACCJA008
5054W	2ACCJA008
5055W	2ACCJA008

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 08/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 09/17/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/17/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 18: TCL Communication Ltd. 5054S

Handset Maker

TCL Communication Ltd.

Handset Model Name

FCC ID

5054S	2ACCJA010
-------	-----------

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA

850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 09/01/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/01/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 19: TCL Communication Ltd. 5056E

Handset Maker

TCL Communication Ltd.

Handset Model Name

5056E

FCC ID

2ACCJB065

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 09/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 06/17/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/17/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 20: TCL Communication Ltd. 5056N

Handset Maker

TCL Communication Ltd.

Handset Model Name	FCC ID
5056N	2ACCJB062
5056W	2ACCJB062

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 08/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 06/02/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/02/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 21: TCL Communication Ltd. 5056O

Handset Maker

TCL Communication Ltd.

Handset Model Name

FCC ID

5056O

2ACCJB043

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
5.0 GHz Wi-Fi
2300 MHz LTE

Dates

This handset model was offered from: 08/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 02/01/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/01/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 22: TCL Communication Ltd. 5065N

Handset Maker

TCL Communication Ltd.

Handset Model Name	FCC ID
--------------------	--------

5065N	2ACCJA006
5065W	2ACCJA006

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 09/13/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/13/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 23: TCL Communication Ltd. 5095I

Handset Maker

TCL Communication Ltd.

Handset Model Name	FCC ID
--------------------	--------

5095I	2ACCJH043
-------	-----------

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 09/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 04/27/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 24: TCL Communication Ltd. 5098O

Handset Maker

TCL Communication Ltd.

Handset Model Name	FCC ID
--------------------	--------

5098O	2ACCJB061
-------	-----------

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 09/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 06/28/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/28/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 25: TCL Communication Ltd. 6045I

Handset Maker

TCL Communication Ltd.

Handset Model Name	FCC ID
--------------------	--------

6045I	2ACCJN002
-------	-----------

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 08/15 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 04/21/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 26: TCL Communication Ltd. 60450

Handset Maker

TCL Communication Ltd.

Handset Model Name

FCC ID

60450

2ACCJN005

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 09/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 09/01/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/01/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 27: TCL Communication Ltd. 6055A

Handset Maker

TCL Communication Ltd.

Handset Model Name	FCC ID
--------------------	--------

6055A	2ACCJA018
6055U	2ACCJA018

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 08/10/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 08/10/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 28: TCL Communication Ltd. 60700

Handset Maker

TCL Communication Ltd.

Handset Model Name

FCC ID

60700

2ACCJN008

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 08/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 07/12/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/12/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 29: TCL Communication Ltd. 6071W

Handset Maker

TCL Communication Ltd.

Handset Model Name

FCC ID

6071W

2ACCJN009

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 10/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 06/01/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/01/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 30: TCL Communication Ltd. 7046T

Handset Maker

TCL Communication Ltd.

Handset Model Name

FCC ID

7046T

2ACCJN003

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz CDMA
850 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2500 MHz LTE

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 06/10/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/10/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 31: TCL Communication Ltd. 9002W

Handset Maker

TCL Communication Ltd.

Handset Model Name

9002W

FCC ID

2ACCJB040

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 10/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 12/23/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 32: TCL Communication Ltd. A462C

Handset Maker

TCL Communication Ltd.

Handset Model Name

A462C

FCC ID

2ACCJB013

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 07/08/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/08/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 33: TCL Communication Ltd. A466BG

Handset Maker

TCL Communication Ltd.

Handset Model Name	FCC ID
--------------------	--------

A466BG	2ACCJH055
--------	-----------

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 09/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 06/22/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 34: TCL Communication Ltd. 4060A

Handset Maker

TCL Communication Ltd.

Handset Model Name	FCC ID
4060A	2ACCJB039
4060W	2ACCJB039
A570BL	2ACCJB039
A572BG	2ACCJB039

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 08/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 02/24/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/24/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 35: TCL Communication Ltd. A571VL

Handset Maker

TCL Communication Ltd.

Handset Model Name	FCC ID
--------------------	--------

A571VL	2ACCJB027
A573VC	2ACCJB027

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 09/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 02/16/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/16/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 36: TCL Communication Ltd. A621BL

Handset Maker

TCL Communication Ltd.

Handset Model Name

A621BL

FCC ID

2ACCJA009

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 10/22/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/22/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 37: TCL Communication Ltd. BBB100-1

Handset Maker

TCL Communication Ltd.

Handset Model Name

BBB100-1

FCC ID

2ACCJN016

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE

1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2300 MHz LTE
2600 MHz LTE
2500 MHz LTE

Dates

This handset model was offered from: 04/17 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 03/22/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/22/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Certification

This Report has been certified by:

Vivian Lau Legal Counsel
07/14/2017 02:02 AM